

**GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT**

Public Services – Panchayat Raj – Allegations of irregularities in execution of certain works executed with the G.P. funds of Tadigadapa (V) of Krishna District- Disciplinary action initiated against Sri A. Venkateshwara Rao, formerly Deputy Executive Engineer, PRSD, Vijayawada, Presently working in PIU Sub Division Nandigama, Krishna District and Sri V.Paripurna Prasad, Assistant Executive Engineer, Penamaluru, Krishna District – WSD submitted - Warning – Issued.

---

**PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT**

**G.O.Rt.No. 685**

**Dated:19-05-2014**

**Read the following:**

1. From the Engineer-in- Chief, Panchayat Raj, Hyderabad, Lr. No. Vig(2)/9475/09, dt. 03.12.2009
2. G. O. Rt. No. 711, PR&RD (Vig.II) Dept. dt. 09.05.2011
3. G. O. Rt. No. 712, PR&RD (Vig.II) Dept. dt. 09.05.2011
4. Written Statement of Defence of Sri A. Venkateshwara Rao, formerly DEE, PRSD, Vijayawada, presently working in PIU Sub Division Nandigama dt.08.11.2011
5. Written Statement of Defence of Sri V.P. Prasad, formerly AEE PR, (MP), Penamaluru presently working in PR (MP) Gannavaram, dt. 08.11.2011.
6. From the Engineer-in- Chief, Panchayat Raj, Hyderabad, Lr. No. Vig II(2)/9475/09, dt. 06.05.2013

\*\*\*

**ORDER:**

Disciplinary action has been initiated on the allegations of irregularities in execution of certain works executed with the G.P. funds of Tadigadapa (V) of Krishna District against Sri A. Venkateshwara Rao, formerly Deputy Executive Engineer, PRSD, Vijayawada, Presently working in PIU Sub Division Nandigama, Krishna District and Sri V.Paripurna Prasad, Assistant Executive Engineer, Penamaluru, Krishna District vide references 2<sup>nd</sup> and 3<sup>rd</sup> read above.

2. The two charged officers have submitted their written statements of defences denying the charges framed against them and requested to drop further action in the matter vide references 4<sup>th</sup> and 5<sup>th</sup> read above.

3. The Engineer-in- Chief, Panchayat Raj, Hyderabad while furnishing specific remarks in the matter has stated that there is no financial loss to the Government and recommended to issue a warning to the Charged Officers to be more careful and vigilant in future .

4. Government, after careful examination of the matter have agreed with the recommendation of the Engineer-in-Chief, Panchayat Raj, Hyderabad and issue warning to Sri A. Venkateshwara Rao, formerly Deputy Executive Engineer, PRSD, Vijayawada, Presently working in PIU Sub Division Nandigama, Krishna District and Sri V.Paripurna Prasad, Assistant Executive Engineer, Penamaluru, Krishna District to be more careful and vigilant in future and the case is closed.

P.T.O

5. The Engineer-in-Chief, Panchayat Raj, Hyderabad is requested to take further action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR.K.S.JAWAHAR REDDY  
SECRETARY TO GOVERNMENT (PR)

To  
The individuals concerned through Engineer-in-Chief, Panchayat Raj,  
Hyderabad.

Copy to:

The Engineer-in-Chief, Panchayat Raj, Hyderabad.

SF/SC

// FORWARDED::BY:: ORDER //

SECTION OFFICER